



**Fireman Suit / Anti Panas
(Jacket and Trouser)**

Brand	: Q- TREX
Model	: FMSJT-4L
Structure	: 3 Layer
Out layer	: Oil resistant flame retardant cotton satin
Thermal barrier L	: 250g thermal insulation cotton
Linning layer	: Camlet
Flame property	: Damaged length 100 mm, after time $\leq 2S$
Weight	: ± 3.2 kg
Size	: Allsize
Color	: Orange, Blue, Red & Navy blue



x



**Anti Bee-Suit
(Baju Anti Lebah)**

Brand	: Q-TREX
Model	: AB-101F
Type	: Coverall
Material / bahan	: Taslan latex waterproof
Out layer	: Dacron with parachute
Color	: Orange, Blue, Red
Scotlight	: Grey (Glow In The Dark)
Kelengkapan	: Hood, Helmet, Coverall, Gloves.
Size tersedia	: Allsize



x



Fireman Suit Alluminized (Tahan Api)

Brand	: Q-TREX
Model	: FMSAL-1010
Material	: Acrylic fiber and aluminium foil without any asbestos
Heat radiation resis	: Under the heat radiation with 10kW/m2
Temperature	: 25°C – 30 second
Hydraulic pressure	: $\geq 40000\text{Pa}$
Kelengkapan	: Coat, Helmet, Pants, Hood, Shoes, Cover
Size tersedia	: Allsize



x



Headlamp / Senter Kepala

Brand	: Q-TREX
Model	: HL-L 3T6
Type LED	: 3 x Cree XML T6
Lumens	: 10000 Lumens
Type baterai	: 2 x 18650 (Termasuk)
Material	: Aluminium Alloy
Dimensi	: LED: 8.5 x 6.5 x 4.5 cm



Fireman Boots

Brand : Q-TREX
Model : FMB-053
Upper : Polythene Rubber
Midsole : Steel
Toecap : Steel
Size tersedia : 39 s/d 44

Features :

Flame retardant, heat insulation, high voltage resistant, oil resistant , anti slip, anti acid and alkali.



x



Fireman Gloves

Brand	: Q-TREX
Model	: FMG-010P
Structure	: 3 Layer
Outer Shell	: High strength fabric flame retardant
Heat insulated	: Aramid mats
Size	: Allsize
Color	: Orange, Blue, Red & Navy blue



x



Fireman Helmet

Brand	: Q-TREX
Model	: FMH-012L
Material helm	: 100% ABS
Material kaca	: Polycarbonate
Shawl / pelindung	: Aramid
Color	: Red
Size	: Allsize



x



Fireman Goggles

- | | |
|--|---------------------------------|
| Brand | : Q-TREX |
| Model | : FMG-013F |
| Material | : PVC frame, Polycarbonate Lens |
| Lens color | : Clear |
| Frame color | : Red, Clear, Yellow & Black. |
| Features | : |
| Anti-scratch. Anti-foa. Anti-ultraviolet. Anti-splash. | |



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-15/16R
Size	: 1.5" – 38 mm
Panjang (roll)	: 20 meter
Work pressure	: 18 Bar (kg/m2)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-15/16R
Size	: 1.5" – 38 mm
Panjang (roll)	: 30 meter
Work pressure	: 18 Bar (kg/m2)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-20/16R
Size	: 2" – 50 mm
Panjang (roll)	: 20 meter
Work pressure	: 18 Bar (kg/m ²)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-20/16R
Size	: 2" – 50 mm
Panjang (roll)	: 30 meter
Work pressure	: 18 Bar (kg/m2)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-25/16R
Size	: 2.5" – 65 mm
Panjang (roll)	: 20 meter
Work pressure	: 18 Bar (kg/m2)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Rubber Red

Brand	: Q-TREX
Model	: FH-25/16R
Size	: 2.5" – 65 mm
Panjang (roll)	: 30 meter
Work pressure	: 18 Bar (kg/m2)
Material	: 100% Polyester wofen Reinforcement with rubber
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-15/16C
Size	: 1.5" – 38 mm
Panjang (roll)	: 20 meter
Work pressure	: 16 Bar (kg/m2)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-15/16C
Size	: 1.5" – 38 mm
Panjang (roll)	: 30 meter
Work pressure	: 16 Bar (kg/m2)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-20/16C
Size	: 2" – 50 mm
Panjang (roll)	: 20 meter
Work pressure	: 16 Bar (kg/m2)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-20/16C
Size	: 2" – 50 mm
Panjang (roll)	: 30 meter
Work pressure	: 16 Bar (kg/m2)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-25/16C
Size	: 2.5" – 65 mm
Panjang (roll)	: 20 meter
Work pressure	: 16 Bar (kg/m ²)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Canvas

Brand	: Q-TREX
Model	: FH-25/16C
Size	: 2.5" – 65 mm
Panjang (roll)	: 30 meter
Work pressure	: 16 Bar (kg/m2)
Material	: 100% High tenacity polyester Wofen with EPDM cover.
Include	: Machino, Storz, VDH. DII.



x



Fire Hose Reel

Brand	: Q-TREX
Model	: HR-1/30
Size hose	: 1"
Panjang hose	: 30 meter
Material hose	: Rubber
Work pressue	: 12 bar
Material swinging	: Baja

***Dilengkapi nozzle dengan tuas on/off & Hydrant Valve kuningan 1"**



x



Breathing Apparatus SCBA

Brand	: Q-TREX
Model	: BA-F6/30
Period	: 50 s/d 60 min
Cylinder material	: Steel cylinder
Work pressure	: 30 Mpa (300 bar)
Kapasitas	: 6 Liter
Kelengkapan	: Mask, Backing, Gas cylinder, Valve, Pressure, Assembly, Box.



x



Fire Nozzle Gun

Brand	: Q-TREX
Model	: FN-15G
Connection	: Drat NHT
Size	: 1.5" (38 mm)
Working Pressure	: 8 Bar
Max Pressure	: 40 Bar
Material	: Allumunium alloy
Flow Rate	: 115 - 230 - 360 - 475 LPM
Include	: Machino, Storz, VDH. DII.



x



Fire Nozzle Gun

Brand	: Q-TREX
Model	: FN-25G
Connection	: Drat NHT
Size	: 2.5" (65 mm)
Working Pressure	: 8 Bar
Max Pressure	: 40 Bar
Material	: Alluminium alloy
Flow Rate	: 350 - 450 - 580 - 780 - 950 LPM
Include	: Machino, Storz, VDH. DII.



x



Fire Nozzle Jet

Brand	: Q-TREX
Model	: FN-15J
Connection	: Machino, VDH, Storz
Size	: 1.5" (38 mm)
Working Pressure	: 7 Bar
Material	: Allumunium alloy



x



Fire Nozzle Jet

Brand	: Q-TREX
Model	: FN-25J
Connection	: Machino, VDH, Storz
Size	: 2.5" (65 mm)
Working Pressure	: 7 Bar
Material	: Alluminium alloy



x



**Fire Nozzle Jet
(With On-Off)**

Brand	: Q-TREX
Model	: FN-20WH
Type	: Ball valve (On-Off)
Connection	: Storz coupling
Size	: 2" (50 mm)
Working Pressure	: 7 Bar
Material	: Alluminium alloy



x



**Fire Nozzle Jet
(With On-Off)**

Brand	: Q-TREX
Model	: FN-25WH
Type	: Ball valve (On-Off)
Connection	: Storz coupling
Size	: 2.5" (65 mm)
Working Pressure	: 7 Bar
Material	: Alluminium alloy



x



Variable Spray

Brand	: Q-TREX
Model	: VS-15
Connection	: Drat NHT (connect nozzle jet)
Size	: 1.5"
Material	: Allumunium alloy



x



Variable Spray

Brand	: Q-TREX
Model	: VS-25
Connection	: Drat NHT (connect nozzle jet)
Size	: 2.5"
Material	: Alluminium alloy



x



Hydrant Valve

Brand : Q-TREX
Model : HV-15/16K
Type : Coupling Machino
Size : 1.5 Inch
Material : Brass Chrome
Test Pressure : 16 Bar
Include : Machino, Storz, VDH. DII.



x



Hydrant Valve

Brand : Q-TREX
Model : HV-25/16K
Type : Coupling Machino
Size : 2.5 Inch
Material : Brass Chrome
Test Pressure : 16 Bar
Include : Machino, Storz, VDH. DII.



x



Hydrant Valve

- Brand : Q-TREX
- Model : HV-15/10K
- Type : Coupling Machino
- Size : 1.5 Inch
- Material : Brass
- Test Pressure : 16 Bar
- Include : Machino, Storz, VDH. DII.



x




Hydrant Valve

- Brand : Q-TREX
- Model : HV-15/10K
- Type : Coupling Machino
- Size : 2.5 Inch
- Material : Brass
- Test Pressure : 16 Bar
- Include : Machino, Storz, VDH. DII.



x



Y Connection

Brand	: Q-TREX
Model	: YC-1515DH
Type	: Double handle
Ukuran	: 1.5" x 1.5" x 1.5"
Work pressuse	: 10 bar
Max. Work pressure:	Max. 20 bar
Bahan	: Aluminium alloy
Inlet / outlet type	: Machino, Storz, VDH. DII.



x



Y Connection

Brand	: Q-TREX
Model	: YC-2515DH
Type	: Double handle
Ukuran	: 2.5" x 1.5" x 1.5"
Work pressuse	: 10 bar
Max. Work pressure:	Max. 20 bar
Bahan	: Aluminium alloy
Inlet / outlet type	: Machino, Storz, VDH. DII.



x



Y Connection

Brand	: Q-TREX
Model	: YC-2525DH
Type	: Double handle
Ukuran	: 2.5" x 2.5" x 2.5"
Work pressuse	: 10 bar
Max. Work pressure:	Max. 20 bar
Bahan	: Aluminium alloy
Inlet / outlet type	: Machino, Storz, VDH. DII.



x



Fire Blanket (Hardcase)

Brand	: Q-TREX
Model	: FB-100H
Ukuran selimut	: 100 x 100 cm (1 x 1 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Hardcase)

Brand	: Q-TREX
Model	: FB-120H
Ukuran selimut	: 120 x 120 cm (1.2 x 1.2 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Hardcase)

Brand	: Q-TREX
Model	: FB-128H
Ukuran selimut	: 120 x 180 cm (1.2 x 1.8 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Hardcase)

Brand	: Q-TREX
Model	: FB-180H
Ukuran selimut	: 180 x 180 cm (1.8 x 1.8 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Softcase)

Brand	: Q-TREX
Model	: FB-100S
Ukuran selimut	: 100 x 100 cm (1 x 1 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Softcase)

Brand	: Q-TREX
Model	: FB-120S
Ukuran selimut	: 120 x 120 cm (1.2 x 1.2 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Softcase)

Brand	: Q-TREX
Model	: FB-128S
Ukuran selimut	: 120 x 180 cm (1.2 x 1.8 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket (Softcase)

Brand	: Q-TREX
Model	: FB-180S
Ukuran selimut	: 180 x 180 cm (1.8 x 1.8 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



Fire Blanket For Car

Brand	: Q-TREX
Model	: FB-68C
Ukuran selimut	: 6 x 8 m
Bahan	: 100% glass fabric (0.5 mm)
Portable	: Yes
Easy to use access	: Yes

Cocok untuk di dapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan.



x



**Box Fire Extinguisher
(Kaca Kunci)**

Brand : Q-TREX
Model : BFE-3/4
Dimensi : 30 X 55 X 20 cm
Peruntukan Uk.apar: 3, 3.5 & 4 kg
Material : Mild Steel Plate (Plat besi)
Paint Finish : Red powder coating



x



**Box Fire Extinguisher
(Kaca Kunci)**

Brand : Q-TREX
Model : BFE-4/5
Dimensi : 30 X 60 X 20 cm
Peruntukan Uk.apar: 4, 4.5 & 5 kg
Material : Mild Steel Plate (Plat besi)
Paint Finish : Red powder coating



x



**Box Fire Extinguisher
(Kaca Kunci)**

Brand : Q-TREX
Model : BFE-6
Dimensi : 35 X 65 X 20 cm
Peruntukan Uk.apar: 6 kg
Material : Mild Steel Plate (Plat besi)
Paint Finish : Red powder coating



x



**Box Fire Extinguisher
(Kaca Kunci)**

Brand	: Q-TREX
Model	: BFE-9
Dimensi	: 35 X 70 X 22 cm
Peruntukan Uk.apar:	9 kg
Material	: Mild Steel Plate (Plat besi)
Paint Finish	: Red powder coating



x



**Box Fire Extinguisher
(Rukan / 2 apar)**

Brand	: Q-TREX
Model	: BFE-3/4R
Dimensi	: -
Peruntukan Uk.apar:	3 kg x 2
Material	: Mild Steel Plate (Plat besi)
Paint Finish	: Red powder coating



x



**Box Fire Extinguisher
(Rukan / 2 apar)**

Brand	: Q-TREX
Model	: BFE-5/6R
Dimensi	: 60 x 20 cm
Peruntukan Uk.apar:	5/6 kg x 2
Material	: Mild Steel Plate (Plat besi)
Paint Finish	: Red powder coating



x



Hydrant Box Outdoor

Brand	: Q-TREX
Model	: HB-10C
Type	: C
Dimensi (WxHxD)	: 66 x 95 x 20 cm
Material	: Mild Steel Plate (Plat besi)
Paint Finishing	: Red powder coating



x



Hydrant Box Indoor

Brand	: Q-TREX
Model	: HB-10B
Type	: B
Dimensi (WxHxD)	: 125 x 75 x 18 cm
Material	: Mild Steel Plate (Plat besi)
Paint Finishing	: Red powder coating



x



Hydrant Box Indoor

Brand	: Q-TREX
Model	: HB-10A1
Type	: A1
Dimensi (WxHxD)	: 66 x 52 x 15 cm
Material	: Mild Steel Plate (Plat besi)
Paint Finishing	: Red powder coating



x



Hydrant Box Indoor

Brand	: Q-TREX
Model	: HB-10A2
Type	: A2
Dimensi (WxHxD)	: 100 x 80 x 18 cm
Material	: Mild Steel Plate (Plat besi)
Paint Finishing	: Red powder coating



x



Siamese Connection

Brand	: Q-TREX
Model	: SC-4/25
Type	: S7
Inlet	: 4 Inch
Outlate	: 2.5 inch
Body Material	: Brass chrome
Working pressure	: 10 bar
Test pressure	: 30 bar
Connect type	: Machino, Storz, VDH. DII.



x



Siamese Connection

Brand	: Q-TREX
Model	: SC-4/25
Type	: S11
Inlet	: 4 Inch
Outlate	: 2.5 inch
Body Material	: Brass chrome
Working pressure	: 10 bar
Test pressure	: 30 bar
Connect type	: Machino, Storz, VDH. DII.



x



Siamese Brass Four Way

Brand	: Q-TREX
Model	: SC-4/25
Type	: 4-Way
Inlet	: 6 Inch
Outlate	: 2.5 inch
Body Material	: Cast iron
Test pressure	: 24 bar
Connect type	: Machino, Storz, VDH. DII.



x



Hydrant Pillar

Brand	: Q-TREX
Model	: HP-4/25
Type	: 2-Way
Inlet	: 4 Inch
Outlate	: 2.5 inch
Body Material	: Cast iron
Test pressure	: 324 bar
Connect type	: Machino, Storz, VDH. DII.